



IATA Operational Safety Audit

Presented by: Jehad Faqir Head of Safety & Flight Operations -IATA ,Middle East & North Africa

AVIATION SAFETY&SUSTAINABILITY CONFERENCE

IATA IN BRIEF

Global trade association for the world's airlines 240 passenger and cargo carriers 84% of global air traffic

Meeting our members' needs

our mission is to represent, lead and serve the airline industry



IOSA Program - Overview

- Global Safety audit program managed and controlled by IATA
- Audit standards include ICAO safety and security provisions and industry best practices
- Goralsable to all commercial passenger & cargo airlines
- ä Improve worldwide airline safety
- ä Reduce the number of audits



X

SHARING

4


7

BEFORE IOSA


X

X

IOSA Registered Airlines



Audits Completed and Saved



Enhanced IOSA Introduction

Background

- ä Enhanced IOSA as response to industry's feedback
- ä Program change to focus on the implementation aspect of Standards and to ensure continuous conformity
- ä Implementation in transitioned approach until September 2015
- ä Enhanced IOSA applicable only to renewal audits

Priority

- ä In June 2013, IATA Board of Governors mandated E-IOSA for all IOSA Registered Airlines
- ä IATA provides support for airlines in incorporating the IOSA assessment process into internal QA programs
- As of 1 September 2015, all IOSA Registered
 Airlines must have fully incorporated Enhanced
 IOSA for their renewal audits

ICAO 38th Assembly endorsed IOSA and its elements under Enhanced IOSA for its Global safety benefits.



Four Pillars

The Enhanced IOSA is designed to ensure the four pillars.

Continuous Conformity with IOSA Standards Focus on Implementation of IOSA Standards Reliability of Airline's Quality Assurance Functions

Auditing Standardization

Enhanced IOSA Pillars

1. Continuous Conformity

- The Operator will conduct internal audits against ISARPs under their quality assurance program during the 24 month period between the two renewal audits
- Shortly before the recurrent audit, the operator will submit a Conformance Report (CR) to the AO, as a record of internal assessments
- The CR is a "live document" that is continually updated to reflect the current status of conformity of the Operator

2. Focus on Implementation

- Through the CR, IOSA auditors will have additional information to confirm implementation
- Use of Auditor Actions will support the assessment of implementation
- Mandatory observations will be linked with specific ISARPs

3. Reliability of Quality Assurance

- Operator will strengthen its quality assurance through continuous internal assessments using the ISARPs
- AO will validate the internal audit result as part of the assessment of the operator's QA program
- Operator will qualify internal auditors to assess IOSA Standards

- 4. Auditing Standardization
- Increased level of standardization of airline internal QA auditing through use of:
 - Standardized online training for all airline internal auditors
 - Standardized auditing techniques throughout all operators including use of Auditor Actions

IATA Assistance and Support

- IOSA Audit Handbook for Airlines
- Two Information sessions available online for airline auditors
- Nine Workshops held in all IATA regions (additional workshop in planning during IGHC Istanbul in 2015)
- Introduction of "Partnership for Quality" (PFQ) project, to provide support services to airline Quality Assurance Programs

Other Elements

- Regulatory cross-reference lists under development to map out the references between the ISARPs and applicable provisions from ICAO Annexes, EASA and FAA regulations
- Conduct of 4 regulator seminars in Europe with all ECAC member states

E-IOSA

Benefits for Operators

- Increased reliability of QA Program
- Improved auditing skills
- Continuous conformity with ISARPs and ICAO SARPs

Enhanced IOSA - Voluntary Audits

- E-IOSA ISARPs are Recommended Practices until September 2015
- Before then, E-IOSA has no risk to the airlines
- Undergoing E-IOSA before September 2015
 can only be beneficial to incorporating ISARPs
 in internal QA

Benefits for Regulators


- Standardized self-assessment of operators against ISARPs
- Increased continuity of conformity with ISARPs
- Transparent auditing procedures and techniques
- Focus on the assessment of implementation by Audit Organization



Enhanced IOSA Process



Enhanced IOSA Process



Audit Organization's Responsibilities

- AO reviews CR prior to Audit
- During the Audit, IOSA Auditors will assess the CR contents using selection of ISARPs
- IOSA Auditors will try to understand, how the operator assessed the ISARPs

Audit Organization's Responsibilities

- No Change to Audit Methodology for IOSA Audits
- Mandatory observations will be completed as usual
- AO makes final assessment of ISARPs under IOSA Audit
- If AO assesses ISARP as nonconformity, the conventional corrective action process follows

(close findings not later than 1 month prior to expiry date)

Airline's Role Under E-IOSA

- Train Internal Auditors to audit against ISARPs
- Internally assess all ISARPs at least once in registration period (24 months)
- Obtain signed declaration of respective Senior Manager
- Produce and Submit Conformance Report to AO 2 weeks prior to IOSA Renewal Audits
- Make internal auditors available during IOSA Audit

IOSA Audit Handbook for Airlines


- Published on <u>www.iata.org/iosa</u>
- Outlines all relevant procedures and guidance for airlines to undergo E-IOSA

5 Sections :

- 1. IOSA Overview
- 2. Internal Audit Program Management
- 3. Audit Methodology
- 4. Conformance Report
- 5. Audit Procedures

All Accident Rate for IOSA Operators vs. Non-IOSA

(includes Jet & Turboprop aircraft)



Accidents Update: As at 31 Dec 2014



Audit Programs



ISAGO IATA Safety Audit for Ground Operations

401 on registry 244 members + 157 non members

316 on registry 172 GSPs in 203 Airports

Regional Aviation Safety Group performance target \rightarrow all MID states to recognize IOSA and ISAGO as acceptable means of compliance



IATA Standard Safety Assessment (ISSA)



Background

- Many operators are technically not eligible for an IOSA Audit because of:
 - Operating aircraft below 5,700Kg MTOW
 - Business model does not allow for conformity with IOSA requirements
- Because of vast amount of those operators, IATA decided to develop a new evaluation program for the industry called "IATA Standard Safety Assessment"

Benefits

- Measuring operator's conformity with relevant ICAO Requirements and Industry Practices
- Gradual Implementation of
 SMS Elements
- Assessment completion provides eligibility for entry on ISSA Registry
- Improved marketing and commercial advantages



Eligibility

- Commercial passenger and/or cargo operations
- Aircraft with one or more turbine powered and/or multiple reciprocating engines
- Single and/or Two-pilot operations
- IFR and/or VFR operations
- Aircraft with MTOW below 5700Kg
- Aircraft with MTOW above 5700Kg will be allowed on ISSA Registry for one term, after that need to go for IOSA

Scope Exclusions

- Aircraft with single reciprocating engines
- Helicopters/ Seaplanes
- Any operator that is currently on the IOSA Registry
- Operators with no aircraft on the AOC (only wet-lease operations)

Audit and Program Standards

- Audit Standards derived directly from all IOSA disciplines; emphasis on the Organization Management System
- Verification of both documentation and implementation required
- Approximately 116 Standards and Recommended Practices (subject to change)

Assessment Program

- Initial assessment, followed by biennial renewal assessments
- Assessments conducted by two Auditors for two days
- Assessment follow-up (closure of findings) and registration period in alignment with IOSA
- Not linked, associated or conditional on IATA membership
- Priced to suit the intended market

Cooperation and Audit Organizations

- Assessments will be performed by independent Audit Organizations
- 5 Beta-test assessments completed in 2014
- Program operational in early 2015



Questions?

>> IATA LEADING INDUSTRY CHANGE WITH IOSA